

APPROVED O.G. FIG. 79

F1G. 1

AFFECTED O.G. FIG.

11. 11. 12. 12. 14.

| 36 | (| ·38 | | | | | | 24~ |
|--------------------------|------|------|------|-------|------|------|-----|------|
| OPTION-TEXT VARIABLES | S[1] | S[2] | S[3] | S[4] | S[5] | S[6] | ••• | S[N] |
| OTV[1] | 1 | | | | | | | |
| OTV[2] | | | | | | | | |
| OTV[3] | | | | | | | | |
| OTV[4] | | | | | | | | |
| OTV[5] | | | | | | | | |
| | | | | | | | | |
| ΟΤΥ[Ν[ΟΤΥ]] | | | | | | | | |
| 37 | | | FIC | 6. 3A | | | | |

APTROVED 0.G. F1G.

| | | 37 | | 26 |
|-----|------------------------------------|----------|------------------------------|-------------|
| | DOCUMENT TEMPLATE IDENTIFIER | VARIABLE | SELECTION | |
| 40- | – DT[1] | OTV[2] | S [1] - | 46 |
| | DT[1] | OTV[6] | S [2] | |
| , | DT[1] | OTV[1] | S[4] | |
| | DT[1] | OTV[4] | S[3] | |
| | DT[2] | OTV[1] | S[2] | |
| | DT[2] | OTV[2] | S[1] | |
| | \ DT[2] | OTV[5] | S[6] | |
| 4 | 42 | FIG. 3B | the most space to the second | |

; ---,- ,- .

| 160 | (16 | 51 | | | | | | |
|----------------------|--------------|-----------|------|------|------------|------|-------|------|
| PATIENT VARIABLES | P[1] | P[2] | P[3] | P[4] | P[5] | P[6] | • • • | P[M] |
| PV[1] | | | | | | | | |
| PV[2] | | | | | | | | |
| PV[3] | | | | | | | | |
| PV[4] | | | | | | | | |
| PV[5] | ž | | | | | | | |
| • | , . . | | | | | | | |
| PV[N[PV]] | | | | | | | | |
| 162 | | | FIG. | 4A | . <u> </u> | | 150 | |

Arrange O.G. FIG.

| <u> 164</u> | | | (152 |
|------------------------------------|----------|---------------------|-----------------------|
| DOCUMENT TEMPLATE IDENTIFIER | VARIABLE | SELECTION INDICATOR | PATIENT IDENTIFIER |
| DT[1] | PV[2] | S[1] | P[3] |
| DT[1] | PV[6] | S[2] | P[3] |
| DT[1] | OTV[1] | S[4] | P[3] |
| DT[1] | OTV[4] | S[3] | P[3] |
| DT[2] | OTV[1] | S[2] | P[6] |
| DT[2] | OTV[2] | S[1] | P[6] |
| , DT[2] | , OTV[5] | S[6] | P[6] |
| 166 | 163 F | IG. 4B 170 | (162 |

| | | (162 | 182 |) |
|-----|------------------------------------|-------------------------|---------|------|
| | DOCUMENT TEMPLATE IDENTIFIER | PATIENT IDENTIFIER | DATE | _196 |
| 198 | DT[1] | P[3] | 3-4-92 | 150 |
| .50 | DT[1] | P[4] | 2-7-92 | |
| i | DT[1] | P[1] | 3-1-92 | |
| | DT[1] | P[3] | 2-7-92 | |
| | DT[2] | P[3] | 3-4-92 | |
| | DT[2] | P[2] | 2-14-92 | |
| | \ DT[2] | P[5] | 3-3-92 | ļ |
| | 166 | FIG. 5A | | |

| <u></u> | · • | . , | 194 | /186 |
|------------------------------------|----------|---------------------|-----------------------|----------|
| DOCUMENT TEMPLATE IDENTIFIER | VARIABLE | SELECTION INDICATOR | PATIENT IDENTIFIER | DATE |
| DT[1] | PV [2] | J | P[3] | 3-4-92 |
| DT[1] | PV [6] | | P[3] | 3-4-92 |
| DT[1] | OTV[1] | | P[3] | 3-4-92 |
| DT[1] | OTV[4] | | P[3] | 3-1-92 |
| DT[2] | OTV[1] | | P[6] | 12-11-91 |
| DT[2] | OTV[2] | | P[6] | 12-11-91 |
| DT[2] | OTV[5] | | P[6] | 12-11-91 |
| 166 | l63 | FIG. 5B | 162 | 196 |

j. 12

AFTICIO O G. FIG.

(4)

| 202 | | | | | | | 20 | 0 |
|--------------------------|------|------|-----|------|-------------|------|-----|------|
| OPTION-TEXT VARIABLES | S[1] | S[2] | ••• | S[N] | B[1] | B[2] | ••• | B[N] |
| OTV[1] | | | | | | | | |
| OTV[2] | | | | | | | | |
| ОТУ[3] | | | | | | | | |
| OTV[4] | | | | | | | | |
| OTV[5] | | | | | | | | |
| • | | | | | | | | |
| ΟΤν[Ν[ΟΤν]] | | | | | | | | , |
| 204 | | -205 | FIG | 6 | | | 206 | J |

AFTESTED 0.G. F.I.G.

FIG. 7A






FIG. 7B

98/ SELECTION DATA -24 USER n DOCUMENT PATIENT DATA
NAME
AGE
ADDRESS
DATE DATE STAMP 184 <u>හි</u> USER 1 SELECTION DATA <u>8</u>






FIG. 8









F16. |

| , |
|---|
| |

F16. 12



F16. 13



F1G. 14

APPRINED 0.0. FIG. in in




FIG. 16

